The Aquila **Multi-Functional Cell**

Aquila Nuclear Engineering's Multi-Functional Cell for nuclear and nuclear medicines specification and trials.

> dcorbett@aquilaeurope.eu +44 (0) 7852 969 150 +44 (0) 7545 470 727 dbarker@aquilaeurope.eu info@aquilaeurope.eu +44 (0) 1962 717 000

www.aquilaeurope.eu | in 🔽



Aquila Multi-**Functional Cell**

The Multi-Functional Cell (MFC) will consist of a stainless-steel containment, surrounded on the front face by façade shielding and cladding, lead glass window, 2 La Calhene master slave manipulators (MT120), various windows, access ports, glove ports, gland plates and sealing arrangements to allow clients and operators to interact with and trial the In-Cell equipment. These penetrations have been designed and manufactured to both Sellafield and Aquila standards.

The decision to invest in the design and manufacture of a demonstration MFC derives from the level of interest from our nuclear and nuclear medicines clients who want to experience the use of a shielded facility 'hands on'. Also, this facility is available to use without having to enter a licenced nuclear site. The MFC will allow our clients to test their own process or equipment inside the cell to gauge ease of use in operation and for maintenance purposes.

Aquila Nuclear Engineering Ltd is the sole UK distributor for Getinge La Calhene products, all of which are used on containment and shielded facilities. Getinge La Calhene is the world's leading supplier in manipulators and containment-related equipment and are a principal partner in the production of the MFC. Aguila personnel have received training in France on the full range of Getinge La Calhene products on offer, including manipulators and DPTE posting ports.

The advantages of being able to host trials with our client at our site means we can also help with the design and demonstrate our client's processes.

BUILT WITH OUR PARTNERS

- Getinge La Calhene
- Universal Fabrications
- Hayneswood
- Helander Precision
- Silchester Controls

"The decision to invest in the design and manufacture of a demonstration MFC derives from the level of interest from our nuclear and nuclear medicines clients who want to experience the use of a shielded facility 'hands on'."

THE MFC WILL:

- Be the only trails and demonstration facility of its kind in the UK, to include MSMB and lead glass windows
- Provide a focal point for the UK Hot Cell and Glove Box industries
- Encourage early engagement with Aguila to focus on the contained and shielded process
- Demonstrate the capabilities of Aquila and our Supply Chain partners
- Allow clients to 'mock up' their containment design, train operators, trial manipulators and perform equipment trials in an inactive, safe and easy-to-access environment
- Encourage operator involvement during the design phase and validate operation and maintenance activities
- Provide a central point for Aquila and our Supply Chain Partners to display product and services information

MFC FRONT VIEW



MFC REAR VIEW



SPECIFICATION

1. CONTAINMENT

This has been designed and manufactured in SS304L in accordance with the Sellafield Alpha Glove box standard ES_0_1503_1-IMEC 1.

2. SHIELDING

Shielded cells can vary in shielding thickness from 50mm to up to 300mm of lead or lead equivalent. Rather than shield the whole facility, we have only included a section in chevron. With the modern manufacturing plant at our sister company's site, shielding is now normally supplied in single slab form.

3. MASTER SLAVE MANIPULATOR

The Getinge La Calhene MT120 MSM have been installed on this demonstration facility. This model is versatile with a reach of up to 1440mm and duty of 12kg. We have installed a detachable and non-detachable Master Arm with a short length slave arm. These MSMs are powered by the control panel mounted on the front face. The long length slave arm can go up to 2040mm.

4. DOUBLE LIDDED POSTING PORT

The Getinge La Calhene DPTE190 has been installed on the containment shell. This allows for the safe transport of active material into and out of the containment. A shielded version of the DPTE can also be provided and used in conjunction with the Getinge La Calhene PADIRAC system.





SPECIFICATION CONTINUED

WANT TO KNOW MORE?

GET IN CONTACT:

T:	+44 (0) 1962 717 000
E:	info@aquilaeurope.eu
W:	aquilaeurope.eu

in ¥

9. PENETRATION

8. CONTAINMENT PORTS

Standard penetrations have been included in the design for:

The MFC includes a range of glove ports, including 6" and 7-9/16" standard glove ports and Getinge La Calhene AD

and J2L glove ports together with an AD bagging port.

- Gland Plates: Electrical/Pneumatics and Hydraulic command
- Push Through Filter Housing: This connects to the active ventilation
- Vertical Posting Out Port: Typically used to post out waste from the cell to transport container positioned under the box floor.

5. VIEWING

SHIELDED WINDOW

We have incorporated a standard XXmm thick lead glass window and mounting system for viewing. In addition, we have also included a radiation-hard camera inside the cell, together with viewing options from outside the cell.

NON-SHIELDED WINDOW

The MFC incorporates a range of non-shielded windows designed and manufactured to either the Sellafield or Aquila specification.

6. LIGHTING

A minimum of 500 Lux lighting is provided with both the standard Sellafield unit, or the Aquila unit.

7. SHIELDED TONG BALL

Traditional tong balls have been installed over the years to match the Cell shielding thickness . Aquila has a design for a hinged sphere tong unit which enables the whole tong assembly to move away from the cell. This is employed in the nuclear medicines industry where access to the inside of the cell is safe, once the isotope has been removed from the environment.





T: +44 (0) 1962 717 000
E: info@aquilaeurope.eu
in linkedin.com/company/2439808
twitter.com/aquilanuclear1

Aquila House, Hazeley Enterprise Park, Hazeley Road, Twyford, Hampshire SO21 1QA, United Kingdom

ACCREDITATIONS





Aquila Nuclear Engineering is part of the Calder Group

Pragmatic, cost effective solutions, always